






PENDYA

D600mm E27



- PENDYA Pendant Light made of high quality resin and metal.
- PHILIPS E27 LED dimmable blub.

Technical Data

Luminaire Type- 安裝方式 Tipo de luminaria	Pendant Type 吊裝燈具 Colgante tipo
Dimension-尺寸-Dimensión	DIA 600 x H: 300 mm (Pendant rope: 2000mm)
Cut off Dimension-開孔尺寸-Cortar Dimensión	DIA 80 mm
Input Voltage-輸入電壓-Voltaje de entrada	AC220-240V 50/60HZ
Power Consumption Max-燈具功率 Consumo de energía Max	<ul style="list-style-type: none"> • 8.5W • 11W • 15W
Control Protocol-控制協議 Protocolo de Control	Dimmable
Beam Angle 光束角 ángulo de haz	90°
Light Source Brand-光源品牌-Fuente de luz de marca	PHILIPS E27 Dimming Blub - (Photobiological safety-IEC 62471 'Risk Group 1' (low risk))
"Lumen Maintenance LM-80 Reported by TM-21"@ 25°C	<ol style="list-style-type: none"> 1. L90(10k) = 50,700 hrs 2. L80(10k) > 63,500 hrs 3. L70(10k) > 63,500 hrs
LED Life-LED壽命-La vida del LED	>60,000 hours
Color Temperature -色溫 Temperatura del color	2700K / 3000K / 4000K / 5000K / 6500K
Color Rendering Index-顯色指數 Índice de reproducción cromática	>80
Luminaire Efficacy 燈具效率 La eficacia de la luminaria	<ul style="list-style-type: none"> • 80 Lm/w(2700K), • 80 Lm/w(3000K), • 85 Lm/w(4000K), • 90 Lm/w(5000K), • 90 Lm/w(6500K),
LED Source Luminous Efficacy LED光源光效 Fuente luminosa LED Eficacia	<ul style="list-style-type: none"> • 100 Lm/w(2700K), • 100 Lm/w(3000K), • 105 Lm/w(4000K), • 120 Lm/w(5000K), • 120 Lm/w(6500K),
Housing materials-外殼材料 Materiales de la carcasa	Resin and Metal
Housing Color 外殼顏色 color de la carcasa	<ul style="list-style-type: none"> • Bright white • Bright black
Ingress Protection-防護等級 Protección de ingreso	IP20 - (IEC 60529)
Environment-使用環境-medio ambiente	Indoor
Operating Humidity -工作濕度 Humedad de funcionamiento	0~90%, non-condensing-不結霜 sin condensación
Operating Temperature Range / 工作溫度範圍 Rango de temperatura de funcion amiento	-30 °C / +50 °C
Comply Testing Standard 符合測試標準 Cumplir el estándar de prueba	LED Luminaires: IEC 60598-1 / IEC 60598-2-2 / Hot Wire Testing: 850°C LED Driver: EN 55015 / IEC 61000-3-2 / IEC 61347-1 / IEC 61347-2-13 / IEC 61547
Certification-認證-Certificación	    

Project	Fixture#	Date
		Firm

Ordering Information


Choose the option that suits your need and write its corresponding code on the appropriate line to form the product code.

Example product code: [PENDYA-15W-SW-30-BW](#)

PENDYA - - _____ - _____ - _____ - _____
Power Consumption
Control Type
Color Temperature
HOUSING COLOR

Power Consumption		Control Type		Color Temperature		HOUSING COLOR	
Code	Description	Code	Description	Code	Description	Code	Description
8.5W	1X 8.5W Philips E27 dimmable blub	SW	ON/OFF Switch	27	2700K	BW	Bright white
11W	1X 11W Philips E27 dimmable blub	DM	Dimming	30	3000K	BB	Bright black
15W	1X 15W Philips E27 dimmable blub			40	4000K		
				50	5000K		
				65	6500K		

Technical Drawing



Unit: mm